

MR-1 CHECK OFF LIST FOR NON-CATEGORICAL COMPANIES

ASAP LINEN

27220027-1

1. MONTH OF JANUARY 1, 2009 THRU JANUARY 31, 2009
2. Is Outlet # (8 digit) Correct? Y N N/A
3. Is average Total flow-gal.day stated in space provided? Y N N/A
4. Is max. Total flow-gal day stated in space provided? Y N N/A
5. Is method used to calculate water stated? Y N N/A
6. Are number of working days stated? Y N N/A
7. Are there any parameters which have exceeded PVSC Local Limits? Y N N/A
8. Is proper compliance/non-compliance statement provided? Y N N/A
9. Have correct number of samples been submitted? Y N N/A
10. Has PHC result been listed on MR-1 report? Y N N/A
11. Has sample number been reported in space provided? Y N N/A
12. Have all regulated parameters been listed on MR-1? Y N N/A
13. Has sample type been stated on MR-1? Y N N/A
14. Have all samples been taken during this reporting period? Y N N/A
15. Has NJDEPE certified lab been used? Y N N/A
16. Have analytical results been submitted on copies of Laboratory stationery? Y N N/A
17. Have results been written in space designated on MR-1? Y N N/A
18. Is correct method used to preserve samples stated on MR-1? Y N N/A
19. Has MR-1 been signed by authorized representative? Y N N/A
20. Has information been submitted on proper MR-1 form? Y N N/A
21. Remove Arsenic from report if sampling not required Y N N/A

MR-1 CHECK OFF LIST FOR NON-CATEGORICAL COMPANIES

ASAP LINEN

27220027

First Reviewer: comments on deficiencies COMPLETEDate Reviewed 2/12/09 Date sent to user _____Date due back _____ Reviewer cym.

Second review comments on deficiencies

Date Reviewed _____ Date sent to user _____

Date due back _____ Reviewer _____

Date _____ Reviewer _____

e. H. 10. in

PRETREATMENT MONITORING REPORTName: ASAP LINEN, INC.Mailing Address: 36 – 38 Iowa Avenue, Paterson, NJ 07503Facility Location: 36 – 38 Iowa Avenue, Paterson, NJ 07503Category & Subpart: 9999Outlet#: 1Contact Official: Mitchell SmithTelephone#: 973-684-7600NEW CUSTOMER ID / OUTLET ID: 27220027-1

MONITORING PERIOD						AVERAGE	MAXIMUM
1	1	2009	1	31	2009	Regulated flow-gal/day	N/A
MON	DAY	YR	MON	DAY	YR	Total Flow-gal/day	11,110
START			END			Method Used: Average total flow for Local Limits from incoming purchase water meter, minus 5% evaporation divided by 20 work days in month. Max = Avg + 20%.	
Parameter	8		Mass or Concentration			No. of Samples	Sample type
			Mon Avg	Maximum	Units		Comp./grab
Zinc	Sample measurement		0.059	N/A	"	1	Comp.
	Permit requirement		1.67	N/A	"		
	Sample measurement						
	Permit requirement						
	Sample measurement						
	Permit requirement						
	Sample measurement						
	Permit requirement						
	Sample measurement						
	Permit requirement						
	Sample measurement						
	Permit requirement						
	Sample measurement						
	Permit requirement						
	Sample measurement						
	Permit requirement						

PRETREATMENT MONITORING REPORT

Certification of Non-use (use additional sheets if necessary) As per approval by the PVSC,
ASAP Linen, Inc. is certifying non-use for Cadmium, Copper, Mercury, Nickel and Lead for this
month.


Compliance or non-compliance statement with compliance schedule (use additional sheets if necessary) for every parameter used: ASAP Linen, Inc.. was in compliance with the PVSC Local
Metal Limits for self monitoring performed during the month and as presented in this report.

Explain Method for preserving samples:

Metal sample was a composite which was preserved with HNO₃ to pH < 2.0. All samples were
transferred to the laboratory in an ice filled cooler.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988



Signature of Principal
Executive or Authorized Agent

Michael Gates

Plant Manager

Type Name and Title

2-17-2009

Date

ASAP LINENS, INC. - LOCAL LIMIT MR-1: JANUARY 2009

INDUSTRIAL METER READINGS	20 WORK DAYS IN MONTH
---------------------------	-----------------------

3812040 Present Meter Reading

-3780770 Past Meter Reading

31270 Cubic Feet

x 7.48

233,900

x.95 (-5% Evaporation)

222,205 Gallons for Outlet # 27220027-1

11,110 GPD = AVG TOTAL LOCAL LIMIT FLOW : OUTLET# 27220027-1
 20 | 222,205

11,110
x1.20 (MAX = AVG+20%)
 13,332 GPD = MAX TOTAL LOCAL LIMIT FLOW : OUTLET# 27220027-1



ANALYTICAL DATA REPORT

for
ASAP Linen
36-38 Iowa Ave.
Paterson, NJ 07503

Project Name: PVSC MONITORING
Lab Case Number: E09-00252

MDL = METHOD DETECTION LIMIT

< = LESS THAN THE MDL

Metals

Lab ID: 00252-001

Client ID: 01

Matrix-Units: Aqueous-mg/L

Percent Moisture: 100

Date Sampled: 1/8/2009

Time Sampled: 12:00

Date Analyzed: 1/15/09

Parameter**Result****Q****MDL**

Zinc

0.059

0.008

General Analytical

Lab ID: 00252-001

Client ID: 01

Percent Moisture: 100

Date Sampled: 1/8/2009

Time Sampled: 12:00

Parameter**Result****MDL****Matrix-Units****Date Analyzed**

Biochemical Oxygen Demand

800

2.00

Aqueous-mg/L

1/9/2009 15:00

Total Suspended Solids

30.9

14.3

Aqueous-mg/L

1/13/2009 12:00

These data have been reviewed and accepted by:

Michael H. Leftin, Ph.D.

Laboratory Director

273 Franklin Road
 Randolph, NJ 07869
 Phone: 973 361 4252
 Fax: 973 989 5288



IAL is a NELAC New Jersey Certified Lab (14751) and maintains certification in Connecticut (PH-0699), New York (11402), Rhode Island (00126), Pennsylvania (68-00773) and in the Department of Navy IR QA Program

**INTEGRATED ANALYTICAL LABORATORIES
CHAIN OF CUSTODY**

CUSTOMER INFO

Company: ASAP LINEN, INC.
Address: 36 - 38 IOWA AVENUE
PATERSON, NJ 07503
Telephone #:
Fax #:
Project Manager:
Sampler: JOHN SABO (ECI)
Project Name: PVSC MONITORING
Project Location (State):
Bottle Order #:
Quote #:

REPORTING INFO

REPORT TO:	ENVIRO-COMP, INC.
Address:	PO BOX 3457
Attn:	WAYNE, NJ 07474
FAX #	973-633-7643
INVOICE TO:	ENVIRO-COMP
Address:	PO BOX 3457
	WAYNE, NJ 07474
Attn:	
PO #	

SAMPLE INFORMATION

[illegible]

Sample Matrix

DW - Drinking Water AQ - Aqueous WW - Waste Water
OI - Oil LIQ - Liquid (Specify) OT - Other (Specify)
S - Soil SL - Sludge SOL - Solid W - Wipe

Turnaround Time (starts the following day if samples rec'd at lab > 5PM)

Lab notification is required for RUSH TAT prior to sample arrival. RUSH TAT IS NOT GUARANTEED WITHOUT LAB APPROVAL. RUSH SURCHARGES WILL APPLY IF ABLE TO ACCOMMODATE**

Conditional TPHC	Results needed by:	Rush TAT Charge **	Report Format	DISKETTE
24 hr* 48 hr 72 hr	NA	24 hr - 100% 48 hr - 75% 72 hr - 50%	Results Only	.dbf format
Verbal/Fax	2 wk/Std	96 hr - 35% 5 day - 25% 6-9 day 10%	Reduced	.wkl format
24 hr* 48 hr*	72 hr*		Regulatory	lab approved custom EDD
Hard Copy	3 wk/Std		Other (describe)	

2 wk.* call for price

ANALYTICAL PARAMETERS

		Cooler Temp _____ °C	
		# BOTTLES & PRESERVATIVES	
		HCl	1
		NaOH	1
		HNO ₃	1
		H ₂ SO ₄	1
		MeOH	1
		Other	1
		None	1

**# BOTTLES &
PRESERVATIVES**

[illegible]

Known Hazard:	Yes or No	Describe:
1. Is there a known hazard to the health of the community?		
2. Is there a known hazard to the environment?		
3. Is there a known hazard to the economy?		
4. Is there a known hazard to the culture?		
5. Is there a known hazard to the social structure?		
6. Is there a known hazard to the political structure?		
7. Is there a known hazard to the religious structure?		
8. Is there a known hazard to the educational structure?		
9. Is there a known hazard to the health care system?		
10. Is there a known hazard to the legal system?		
11. Is there a known hazard to the media?		
12. Is there a known hazard to the transportation system?		
13. Is there a known hazard to the energy system?		
14. Is there a known hazard to the water supply?		
15. Is there a known hazard to the food supply?		
16. Is there a known hazard to the housing supply?		
17. Is there a known hazard to the infrastructure?		
18. Is there a known hazard to the natural resources?		
19. Is there a known hazard to the cultural heritage?		
20. Is there a known hazard to the historical sites?		
21. Is there a known hazard to the archaeological sites?		
22. Is there a known hazard to the historical documents?		
23. Is there a known hazard to the historical artifacts?		
24. Is there a known hazard to the historical buildings?		
25. Is there a known hazard to the historical landmarks?		
26. Is there a known hazard to the historical monuments?		
27. Is there a known hazard to the historical statues?		
28. Is there a known hazard to the historical paintings?		
29. Is there a known hazard to the historical manuscripts?		
30. Is there a known hazard to the historical books?		
31. Is there a known hazard to the historical records?		
32. Is there a known hazard to the historical maps?		
33. Is there a known hazard to the historical photographs?		
34. Is there a known hazard to the historical films?		
35. Is there a known hazard to the historical audio recordings?		
36. Is there a known hazard to the historical video recordings?		
37. Is there a known hazard to the historical documents?		
38. Is there a known hazard to the historical artifacts?		
39. Is there a known hazard to the historical buildings?		
40. Is there a known hazard to the historical landmarks?		
41. Is there a known hazard to the historical monuments?		
42. Is there a known hazard to the historical statues?		
43. Is there a known hazard to the historical paintings?		
44. Is there a known hazard to the historical manuscripts?		
45. Is there a known hazard to the historical books?		
46. Is there a known hazard to the historical records?		
47. Is there a known hazard to the historical maps?		
48. Is there a known hazard to the historical photographs?		
49. Is there a known hazard to the historical films?		
50. Is there a known hazard to the historical audio recordings?		
51. Is there a known hazard to the historical video recordings?		
52. Is there a known hazard to the historical documents?		
53. Is there a known hazard to the historical artifacts?		
54. Is there a known hazard to the historical buildings?		
55. Is there a known hazard to the historical landmarks?		
56. Is there a known hazard to the historical monuments?		
57. Is there a known hazard to the historical statues?		
58. Is there a known hazard to the historical paintings?		
59. Is there a known hazard to the historical manuscripts?		
60. Is there a known hazard to the historical books?		
61. Is there a known hazard to the historical records?		
62. Is there a known hazard to the historical maps?		
63. Is there a known hazard to the historical photographs?		
64. Is there a known hazard to the historical films?		
65. Is there a known hazard to the historical audio recordings?		
66. Is there a known hazard to the historical video recordings?		
67. Is there a known hazard to the historical documents?		
68. Is there a known hazard to the historical artifacts?		
69. Is there a known hazard to the historical buildings?		
70. Is there a known hazard to the historical landmarks?		
71. Is there a known hazard to the historical monuments?		
72. Is there a known hazard to the historical statues?		
73. Is there a known hazard to the historical paintings?		
74. Is there a known hazard to the historical manuscripts?		
75. Is there a known hazard to the historical books?		
76. Is there a known hazard to the historical records?		
77. Is there a known hazard to the historical maps?		
78. Is there a known hazard to the historical photographs?		
79. Is there a known hazard to the historical films?		
80. Is there a known hazard to the historical audio recordings?		
81. Is there a known hazard to the historical video recordings?		
82. Is there a known hazard to the historical documents?		
83. Is there a known hazard to the historical artifacts?		
84. Is there a known hazard to the historical buildings?		
85. Is there a known hazard to the historical landmarks?		
86. Is there a known hazard to the historical monuments?		
87. Is there a known hazard to the historical statues?		
88. Is there a known hazard to the historical paintings?		
89. Is there a known hazard to the historical manuscripts?		
90. Is there a known hazard to the historical books?		
91. Is there a known hazard to the historical records?		
92. Is there a known hazard to the historical maps?		
93. Is there a known hazard to the historical photographs?		
94. Is there a known hazard to the historical films?		
95. Is there a known hazard to the historical audio recordings?		
96. Is there a known hazard to the historical video recordings?		
97. Is there a known hazard to the historical documents?		
98. Is there a known hazard to the historical artifacts?		
99. Is there a known hazard to the historical buildings?		
100. Is there a known hazard to the historical landmarks?		
101. Is there a known hazard to the historical monuments?		
102. Is there a known hazard to the historical statues?		
103. Is there a known hazard to the historical paintings?		
104. Is there a known hazard to the historical manuscripts?		
105. Is there a known hazard to the historical books?		
106. Is there a known hazard to the historical records?		
107. Is there a known hazard to the historical maps?		
108. Is there a known hazard to the historical photographs?		
109. Is there a known hazard to the historical films?		
110. Is there a known hazard to the historical audio recordings?		
111. Is there a known hazard to the historical video recordings?		
112. Is there a known hazard to the historical documents?		
113. Is there a known hazard to the historical artifacts?		
114. Is there a known hazard to the historical buildings?		
115. Is there a known hazard to the historical landmarks?		
11		

Conc. Expected:	Low	Med	High
-----------------	-----	-----	------

UNKNOWN HAZARD; PCB OR TWO
DESCRIPTION:
Please print legibly and fill out completely. Samples cannot be processed and the turnaround time will not start until

MDL Req: GWOS - SCC - OTHER (SEE COMMENTS)

Signature/Company

Signature/Company

Date	Time
------	------

Relinquished by:

Received by:

13	13
----	----

Author's address: *Department of Psychology, University of Cambridge, 184A, Mill Lane, Cambridge CB3 0ET, UK.*

1

15	38
----	----

Relinquished by:

Received by:

Si 104

Polinaovich had been

Received by:

--	--

Relinquished by:

Received by:

Lab Case #

00252

PAGE: of

PROJECT INFORMATION

Case No. **E09-00252**Project **PVSC MONITORING**

Customer ASAP Linen	P.O. #
Contact John Sabo	Received 1/9/2009 14:35
E-Mail ENVIRO43@aol.com <input type="checkbox"/> E-Mail EDDs	Verbal Due 1/23/2009
Phone Fax 1(973) 633-7643	Report Due 1/30/2009
Report To	Bill To
36-38 Iowa Ave.	Enviro-Comp
Paterson, NJ 07503	P.O. Box 3457
	Wayne, NJ 07474
Attn: John Sabo	Attn: John Sabo
Report Format Result Only	
Additional Info <input type="checkbox"/> State Form <input type="checkbox"/> Field Sampling <input type="checkbox"/> Conditional VOA	

<u>Lab ID</u>	<u>Client Sample ID</u>	<u>Depth Top / Bottom</u>	<u>Sampling Time</u>	<u>Matrix</u>	<u>Unit</u>	<u># of Containers</u>
00252-001	01	n/a	1/8/2009@12:00	Aqueous	mg/L	2

<u>Sample #</u>	<u>Tests</u>	<u>Status</u>	<u>QA Method</u>
001	Zinc - Zn	Run	200.8
"	BOD	Run	5210B
"	TSS (Suspended)	Run	2540D

INTEGRATED ANALYTICAL LABORATORIES, LLC

SAMPLE RECEIPT VERIFICATION

CASE NO: E 09

00252

CLIENT:

ASAP Liney

COOLER TEMPERATURE: 2° - 6°C: ☒

(See Chain of Custody)

Comments

COC: COMPLETE / INCOMPLETE

KEY

☒ = YES/NA
☒ = NO

- ☒ Bottles Intact
- ☒ no-Missing Bottles
- ☒ no-Extra Bottles

- ☒ Sufficient Sample Volume
- ☒ no-headspace/bubbles in VOs
- ☒ Labels intact/correct
- ☒ pH Check (exclude VOs)¹
- ☒ Correct bottles/preservative
- ☒ Sufficient Holding/Prep Time¹

☐ Sample to be Subcontracted

¹ All samples with "Analyze Immediately" holding times will be analyzed by this laboratory past the holding time. This includes but is not limited to the following tests: pH, Temperature, Free Residual Chlorine, Total Residual Chlorine, Dissolved Oxygen, Sulfite.

ADDITIONAL COMMENTS:

SAMPLE(S) VERIFIED BY:

INITIAL

DATE

1/9/09

CORRECTIVE ACTION REQUIRED:

YES

☐

(SEE BELOW)

NO

☐

CLIENT NOTIFIED:

YES

☐

Date/ Time:

NO

☐

PROJECT CONTACT:

SUBCONTRACTED LAB:

DATE SHIPPED:

ADDITIONAL COMMENTS:

VERIFIED/TAKEN BY:

INITIAL

DATE

01/09/09

REV 02/05

Laboratory Custody Chronicle

IAL Case No.

E09-00252Client ASAP LinenProject PVSC MONITORINGReceived On 1/ 9/2009@14:35**Department: Metals**

Zinc - Zn

00252-001 Aqueous

Prep. Date

1/14/09

Analyst

Lisa

Analysis Date

1/15/09

Analyst

Helge

Department: Wet Chemistry

BOD

-001 Aqueous

Prep. Date

n/a

Analyst

n/a

Analysis Date

1/ 9/09@15:00

Analyst

Kris

TSS (Suspended)

-001 Aqueous

n/a

n/a

1/13/09

Kam

Review and Approval:

